
The SmartSite[®] needle-free system is one of the most widely used systems in the world today. It's easy to grip and connect features make it a simple product for clinicians to use. This universal system translates to any department in the hospital from anesthesiology to pediatrics. The non-tortuous fluid path reduces the chance of hemolysis and allows for smooth administration of fluids.

FEATURES:

- Latex-Free
- Priming Volume: 0.11 ml
- Residual Volume: 0.08 ml
- Maximum Flow Rate¹: 8.9 L/hr





SmartSite® valve fluid path

Ph 714.257.0470 Fx 714.257.0513 • www.acaciainc.com

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-001	Minibore tubing, slide clamp, male luer lock, SmartSite® needleless valve	50	
	Priming Volume: 0.5mL, Length: 12"		
SM-002	Minibore tubing, non-removable slide clamp, male luer lock, Smart- Site® needleless valve	50	
	Priming Volume: 0.25mL, Length: 6"		
SM-003	Macrobore tubing, 20 drops/ml universal drip chamber, roller clamp, male luer lock, SmartSite [®] needleless valve	50	
	Length: 100"		
SM-004	Macrobore tubing, 20 drops/ml universal drip chamber, roller clamp, male luer lock, 0.2 micron air eliminating filter, SmartSite [®] needleless valve	50	
	Length: 100"		

Acacia

*Drawings not to scale., 1Test Method, ISO 10555-5 Annex B (max flow @ 525 ±25ml/min)

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-005	Macrobore tubing, 20 drops/m universal drip chamber, male lu lock, SmartSite [®] needleless valv	er	
	Length: 100"		
SM-006	Macrobore tubing, female luer le gravity flow controller, pinch cla male luer lock, SmartSite® need less valve	mp,	
	Priming Volume: 5mL, Length: 96"		
SM-007	22mm vial adapter with SmartSi	te® 50	
SM-008	Macrobore tubing, 20 drops/m universal drip chamber, back ch valve, roller clamp, 0.2 micron f ter, male luer lock, SmartSite [®] n dleless valve	ieck il-	~₫⊑⊐≠₽≫-₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽
	Length: 100"		
SM-009	Microbore tubing, latex free t- connector with luer lock, non- removable slide clamp, female l lock, SmartSite® needleless val		
	Priming Volume: 0.1 mL, Length: 6"		
SM-010	SmartSite® needleless valves, k resistant tubing, bifurcated exte sion set, three pinch clamps, ma luer lock	n-	
	Priming Volume: 0.7ml, Length: 7"		
SM-012	Macrobore tubing, 20 drops/m universal drip chamber, back ch valve, roller clamp, male luer loo SmartSite® needleless valve	leck	
	Length: 100"		
		Acacia	Ph 714.257.0470 Fx 714.257.0513 • www.acaciainc.com

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-013	Large non-vented spike, SmartSite [®] needleless valve	50	
SM-014	Macrobore tubing, 20 drops/ml universal drip chamber, back check valve, pinch clamp, gravity flow controller, rotating male luer lock, SmartSite [®] needleless valve	50	
	Length: 100"		
SM-015	Macrobore tubing, female luer lock, 0.2 micron filter, pinch clamp, male luer lock, SmartSite [®] needleless valve		r (1) (1) (1)
	Priming Volume: 5mL, Length: 15"		
SM-016	Large vented spike, 0.8 micron vent cap, SmartSite [®] needleless valve	50	
SM-017	Macrobore tubing, large non- vented spike, back check valve, female luer lock, SmartSite [®] nee- dleless valve	50	
	Priming Volume: 0.9 mL, Length: 7"		
SM-018	Macrobore tubing, 20 drops/ml universal drip chamber, pinch clamp, gravity flow controller, 0.2 micron filter, rotating male luer lock, SmartSite [®] needleless valve	50	
	Length: 85"		
SM-019	Microbore tubing, female luer lock, removable slide clamp, t-connector with luerlock, SmartSite [®] needle- less valve Priming Volume: 0.35mL, Length: 5"	50	
	r mining volume: 0.55mL, Lengui: 5		

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-020	Macrobore tubing, female luer lock, 1.2 micron filter, pinch clamp, male luer lock, SmartSite [®] needleless valve		ti-Jo-San-J
	Priming Volume: 4.5 mL, Length: 15"		
SM-021	Macrobore tubing, 20 drops/ml universal drip chamber, back check valve, roller clamp, 1.2 micron fil- ter, male luer lock, SmartSite [®] nee- dleless valve	50	
	Length: 100"		
SM-022	Macrobore tubing, 10 drops/ml universal drip chamber, back check valve, non-removable slide clamp, split septum y-site, rotating male luer lock, SmartSite [®] needleless valve	50	
	Length: 96"		
SM-023	Minibore tubing, female luer lock, removable slide clamp, male luer lock, SmartSite® needleless valve	50	uiii
	Priming Volume: 0.4 mL, Length: 9"		
SM-024	Macrobore tubing, 20 drops/ml universal drip chamber, back check valve, roller clamp, anti-free flow valve, male luer lock, SmartSite [®] needleless valve	50	
	Length: 100"		
SM-025	Minibore tubing, female luer lock, removable slide clamp, male luer lock, SmartSite [®] needleless valve Priming Volume: 0.6 mL, Length: 14"	50	

Acacia

Ph 714.257.0470 Fx 714.257.0513 • www.acaciainc.com

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-026	Large kink resistant tubing, pinch clamp, male luer lock, SmartSite® needleless valve	50	
	Priming Volume: 0.65 mL, Length: 6"		
SM-027	Macrobore tubing, 10 drops/ml universal drip chamber, back check valve, roller clamp, rotating male luer lock, SmartSite [®] needleless valves	50	
	Length: 96"		
SM-028	Suregrip mini transfer pin with SmartSite [®] needleless valve	50	
SM-030	Macrobore tubing, 60 drops/ml universal drip chamber, back check valve, roller clamp, male luer lock, SmartSite [®] needleless valves	50	
	Length: 100"		
SM-031	Macrobore tubing, 20 drops/ml universal drip chamber, back check valve, roller clamp, male luer lock, SmartSite® needleless valves	50	
	Length: 100"		
SM-032	Macrobore tubing, pinch clamp, male luer lock, SmartSite® needle- less valve	50	um g-
	Priming Volume: 2.0 mL, Length: 12"		
SM-033	Macrobore tubing, female luer lock, non-removable slide clamp, y- injection site, rotating luer lock, SmartSite [®] needleless valve (BTO)	50	
	Priming Volume: 6.8 mL, Length: 38"		

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-034	Macrobore tubing, 10 drops/ml universal drip chamber, check valve, non-removable slide clamp, roller clamp, male luer lock, two 4- way stopcocks with rotating male luer locks, female luer lock, Smart- Site [®] needleless valves (BTO)	50	
	Length: 124"		
SM-035	Minibore tubing, trifurcated exten- sion set, 0.2 micron filter, non- removable slide clamps, rotating male luer lock, SmartSite® needle- less valves	50	
	Priming Volume: 1.1 mL, Length: 18"		
SM-036	Macrobore tubing, 60 drops/ml universal drip chamber, roller clamp, latex-free y-injection sites, 4-way stopcock, back check valve, pinch clamp, male luer lock, Smart- Site [®] needleless valve	50	
	Length: 100"		
SM-037	Minibore tubing, trifurcated set, non-removable slide clamps, rotat- ing male luer lock, SmartSite® nee- dleless valves	50	
	Priming Volume: 0.8 mL, Length: 5"		
SM-038	Microbore tubing, non-removable slide clamp, anti-siphon valve, SmartSite® needleless valves	50	
	Priming Volume: 0.6 mL, Length: 60"		
SM-039	Macrobore tubing, large vented spike, pinch clamp, back check valve, 4-way largebore stopcock, female luer lock, minibore tubing, anti-siphon valve, SmartSite [®] nee- dleless valve	50	
	Length: 100"		
		cacia	

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-040	SmartSite [®] needleless valve t- connector, non-removable slide clamp, female luer lock	50	
	Priming Volume: 1.0 mL, Length: 6"		
SM-041	SmartSite [®] needleless valve t- connector, non-removable slide clamp, female luer lock	50	
	Priming Volume: 0.2 mL, Length: 6"		
SM-042	Minibore tubing, rotating male luer lock, SmartSite [®] needleless valve y- connector, removable slide clamp, female luer lock	50	
	Priming Volume: 0.5 mL, Length: 10"		
SM-043	Low volume macrobore tubing, rotating male luer lock, SmartSite [®] needleless valve y-connector, pinch clamp, female luer lock	50	
	Priming Volume: 1.0 mL, Length: 10"		
SM-044	Low volume macrobore tubing, 20 drops/ml universal drip chamber, back check valve, gravity flow con- troller, SmartSite [®] needleless valve, three 4-way largebore stopcocks, female luer lock, male luer locks, pinch clamp	50	
	Length: 80"		
SM-045	Small kink resistant tubing, female luer lock, male luer lock, SmartSite [®] needleless valve Priming Volume: 9.2 mL, Length: 62"	50	(E

CATALOG NUMBER	DESCRIPTION	QTY/BOX	
SM-047	Low volume minibore tubing, non- removable slide clamp, male luer lock, SmartSite [°] needleless	50	
	Priming Volume: 0.2 mL, Length: 6"		
SM-048	Macrobore tubing, 60 drops/ml universal drip chamber, back check valve, roller clamp, male luer lock, SmartSite® needleless valves	50 <	
	Length: 100″		
SM-049	15 drops/ml universal drip cham- ber, back check valve, roller clamp, SmartSite [®] needleless valves, two 4-way stopcocks, non-removable slide clamp, rotating male luer lock		
	Length: 96″		
SM-050	Macrobore tubing, 10 drops/ml universal drip chamber, back check valve, roller clamp, SmartSite nee- dleless valves, rotating male luer lock	50	
	Length: 96″		
SM-051	Macrobore tubing, 20 drops/ml universal drip chamber, back check valve, roller clamp, rotating male luer lock, SmartSite needleless valve	50	
	Length: 80″		
SSM046	10 drops/ml universal drip cham- ber, back check valve, SmartSite needleless valves, roller clamp, rotating male luer lock Length: 100"	50	

Acacia

Ph 714.257.0470 Fx 714.257.0513 • www.acaciainc.com



Products distributed by Independent Medical Associates: www.I-MA.com · info@I-MA.com · p: 888.548.4462 · f: 888-548-1462